CORRECTION Open Access



Correction to: Vessel density and En-face segmentation of optical coherence tomography angiography to analyse corneal vascularisation in an animal model

Kavya Devarajan¹, Wen Di Lee¹, Hon Shing Ong^{1,2}, Nyein C. Lwin¹, Jacqueline Chua^{1,3}, Leopold Schmetterer^{1,4,5,6}, Jodhbir S. Mehta^{1,2,3,6} and Marcus Ang^{1,2,3*}

Correction to: Eye Vis (2019) 6:2 https://doi.org/10.1186/s40662-018-0128-8

In the original publication of this article [1] the algorithm of the OCTA (Nidek RS-3000) was described incorrectly as OMAG (Optical micro angiography). However, the system uses CODAA(Complex OCT signal difference angiography). Thus, 'OMAG' in the article should be replaced with 'CODAA', and 'Optical micro angiography' should be replaced with 'Complex OCT signal difference angiography'!

Author details

¹Singapore Eye Research Institute, Singapore, Singapore. ²Singapore National Eye Center, Singapore, Singapore. ³Eye-ACP, Duke-NUS Graduate Medical School, Singapore, Singapore. ⁴Department of Clinical Pharmacology, Medical University of Vienna, Vienna, Austria. ⁵Center for Medical Physics and Biomedical Engineering, Medical University of Vienna, Vienna, Austria. ⁶Nanyang Technological University, Singapore, Singapore.

Received: 3 February 2019 Accepted: 3 February 2019 Published online: 14 February 2019

Reference

 Devarajan, et al. Vessel density and En-face segmentation of optical coherence tomography angiography to analyse corneal vascularisation in an animal model. Eye Vis. 2019;6(2). https://doi.org/10.1186/s40662-018-0128-8.

²Singapore National Eye Center, Singapore, Singapore



^{*} Correspondence: marcus.ang@snec.com.sg

¹Singapore Eye Research Institute, Singapore, Singapore